



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/625,701	07/24/2003	Colin Whitehurst	1487.0320001	9946
26111	7590	04/10/2006	EXAMINER	
STERNE, KESSLER, GOLDSTEIN & FOX PLLC 1100 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			JOHNSON III, HENRY M	
			ART UNIT	PAPER NUMBER
			3739	

DATE MAILED: 04/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/625,701

Applicant(s)

WHITEHURST, COLIN

Examiner

Henry M. Johnson, III

Art Unit

3739

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 09 March 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 9-15, 18-20 and 34-66 is/are pending in the application.
- 4a) Of the above claim(s) 11-15, 18-20 and 34-61 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 9, 10 and 62-66 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 102803 070804
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Election/Restrictions***

Claims 11-15, 18-20 and 34-61 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 3/9/2006.

Applicant's election with traverse of species 4 in the reply filed on 3/9/2006 is acknowledged. The traversal is on the ground(s) that only a single subclass requires examination. This is not found persuasive because the examination of a single subclass often requires examination of multiple related classes and subclasses as required by the claim limitations.

The requirement is still deemed proper and is therefore made FINAL.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 9, 62, 64-66 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,663,659 to McDaniel in view of U.S. Patent 6,290,382 to Bourn et al. McDaniel discloses a light therapy apparatus with light emitting diodes (LEDs) arranged in an array with wavelengths from 300 to 1600 nanometers. Three array panels may be hinged (Col. 16, line 61) together (Fig. 15). McDaniel discloses how the positioning of the LEDs and their various divergent beams impacts the uniformity of the energy delivered (Col. 17, lines 14-21), thus teaching an arrangement for uniform intensity distribution (Fig. 18B). The intensity is disclosed

Art Unit: 3739

as from 250 nanowatts to 1 watt per square centimeter (col. 8, lines 30-35). While McDaniel suggests cooling of the LEDs (Col. 18, lines 1-3), fans for cooling are not disclosed. Bourn et al. teach the use of fans and heatsinks for cooling an LED array. Bourn et al. teaches a plurality of individual LEDs wired in a parallel-series configuration, and cooling unit implemented as a heatsink, thermally coupled to the LEDs, with a fan blowing onto the heatsink (Col. 6, lines 43-48). It would have been obvious to one skilled in the art to use the cooling techniques as taught by Bourn et al. in the invention of McDaniel as McDaniel suggests such cooling motivating one skilled in the art to seek prior art cooling implementations.

Regarding claim 64, treatment of a specific area is related to intended use.

Regarding claim 65, the apparatus of McDaniel includes no additional optics between the arrays and the treatment area.

Claims 10 and 62-63 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,663,659 to McDaniel in view of U.S. Patent 6,290,382 to Bourn et al. and further in view of U.S. Patent 6,450,941 to Larsen. McDaniel and Bourn et al. are discussed above, but do not teach four panels in a treatment configuration. Larsen teaches a device for hair treatment using multiple panels (LED arrays). Six panels are arranged around and above a head (Fig. 1c) for hair treatment. McDaniel teaches hair treatment (abstract) and therefore, it would have been obvious to one skilled in the art to include additional panels (hinged or otherwise), to provide full coverage of a head as taught by Larsen, to the invention of McDaniel in view of Bourn et al. to insure the irradiation treatment reached the full extent of the desired treatment area.


Art Unit: 3739

**Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Henry M. Johnson, III whose telephone number is (571) 272-4768. The examiner can normally be reached on Monday through Friday from 6:00 AM to 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C. Dvorak can be reached on (571) 272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Henry M. Johnson, III  
Primary Examiner  
Art Unit 3739